


Florida Building Code

Wood Fences

Sec. 1612 Fences. Fences not exceeding 6'-0" in height from grade may be designed for 75 mph (33 m/s) fastest wind speed or 90 mph (40 m/s) 3-second gust.

Sec. 1612 Wood Fences. Wood fence design shall be as specified by 2328.



Sec. 2326.2.10 All posts, poles and columns embedded in concrete which is in contact with ground and supporting permanent structures shall be approved pressure treated wood suitable for ground contact use except naturally durable wood may be used for posts, poles and columns embedded in concrete for structures other than buildings and walking surfaces or in structures where wood is above ground level and not exposed to the weather.

Sec. 2326.2.6 The expression "naturally durable wood" refers to the heartwood of the following species:

1. Decay resistant - Redwood, Cedars, Black Locust.
2. Termite resistant - Redwood, Eastern Red Cedar.